



**PRODUCT INFORMATION:**

Thermal energy: 38-43 kWh

**PRODUCT NUMBERS:**

Product	Product number:	Weight kg	Height mm
METTE 1	606421-1	1070	945

**BOTTOM PLINTH:**

METTE 1	200561	115	70
---------	--------	-----	----


**NEEDED FOR ASSEMBLY:**

\* Mortar 1 x 25 kg (not included in NunnaUuni delivery)



METTE 1

**LAYOUT DRAWINGS:**



METTE 1

(...), Bottom plinth dimensions

## PRODUCT INFORMATION

	BAKING OVEN / BAKING SPACE		FIREWOOD			FLUE CALCULATION VALUES <b>(1)</b>					
	Width [mm]	Depth [mm]	Length fireplace / cooker [cm]	Max amount of wood [kg]	Length baking oven [cm]	Flue gas temperature [°C]	Min. flue draught [Pa]	Mass flow [g/s]	Burning heat output [kW]	Flue connection [A/B] Ø	Burning air approx. m³/h
Mette	400	300	25	12	25	235	16	21,6	24,3	160	90

## FLUE CONNECTION TABLE

	RECOMMENDED FLUE [mm]				FLUE CONNECTION MEASUREMENTS [mm]			INCOMING AIR		
	approx. 150x150	approx. 150x200	approx. 150x300	round Ø	[A]	[B]	[C] <b>(2)</b>	Incoming air pipe location L [mm]	Replacement air unit	HRT
Mette	x	x	-	150-180	150-200	300	300 (round connection: 260)	490	900307	-

## SAFETY DISTANCES TO COMBUSTIBLE MATERIALS

	Not tested	
	Behind	On the sides
Mette	-	-

- 1)** The flue calculation values apply for countries that require flue calculation in accordance with the DIN 18160 and DIN EN 13384 standards. It is recommendable to contact chimney sweeper beforehand.
- 2)** When installing with bottom plinth, flue connection (+70mm) will be raised according to thickness of the plinth.

### Take a notice of the countryspecific approvals in section 3

#### NOTES!

The flue heat category required by the fireplace is T350.

The recommended minimum flue height is 5 m with Ø180 mm. In countries where the flue calculation is required, should the calculation be done according to the instructions and regulations of the flue calculation.

A damper designed for adjusting the draft is always recommended for a flue connection or flue.

### Country- and region-specific regulations must be adhered to when installing the fireplace

